This Dielectric Strength Tester is ideal for testing control panels, transformers, electrical motors, appliances, light fixtures, electrical cables and similar **DIELECTRIC STRENGTH TESTER** products. **MODEL AVC-25DVA NEW DESIGN INPUT** 120 V 60 Hz 3 A Adjustable 0-2500 V ac @ 95 mA **OUTPUT TRANSFORMER** Rated 500 VA Short Duty Cycle DPM 0-2500 V ac @ 95 mA (0-2750 V ac @ open circuit) **VOLTMETER** Accuracy: ± 2% of full scale Accuracy: ± 2% of full scale **AMMETER** DPM 0-100 mA TRIP CURRENT Fixed @ 95 mA ± 5% 4 Lights (Power-on, High-Voltage-on, Fault and Line **INDICATORS** Fault) One on/off switch, one fuse, one reset push-button, one **CONTROLS** high-voltage adjust-knob and safety device for faulty power outlet. One input Line-Cord 2 meters (6 ft) long, one ground **LEADS** lead c/w a clip and one high-voltage lead c/w highvoltage retractable probe. Each 2 meters (6 ft) long. SIZE 28W x 16D x 16H cm (11W x 6.5D x 6.5H inches)

9 kg (20 Lb)

WEIGHT