PB-500

ANALOG CIRCUIT TRAINER

Applications

Use the PB-500 to construct a wide variety of experiments, including but not limited to:

- Opto-Device Circuits
- Multivibrators
- Oscillator Circuits
- Timers
- Function Generator Circuits
- Logic Circuits
- Analog-to-Digital Converters
- Digital-to-Analog Converters
- Phase Lock Loops
- Operational Amplifiers



Features

- Ideal for analog circuit design and experimentation
- Compact design for easy storage
- Includes built-in Function Generator
- Fixed quad output DC power supplies
- · Built in function generator
- Premium breadboarding area with 8 power rails
- Audio experimentation speaker
- Optional courseware available
- 1-vear warranty

Overview

The Model PB-500 Analog Circuit Trainer is a compact, portable analog circuit design trainer with built-in power supplies and function generator. It can be used for analog circuit design and classroom training. The PB-500's unique combination of built-in functions and uncommitted devices makes it one of the most convenient breadboarding systems available. The trainer contains all of the functions required for studying and experimenting with active filters, operational amplifiers and other analog circuitry and is powered by a UL approved wall-mount power adapter. Utilizing the PB-500, students will learn valuable handson breadboarding techniques and build a solid foundation in circuit experimentation, construction and analysis.

Experienced designers will also find the PB-500 an invaluable, capable and reliable instrument, suitable for the most advanced and demanding analog design applications.

Global Specialties trainers provide the most complete platform required to enable engineers and technicians to train for careers in the rapidly growing field of electronics technology.



Specifications	
Input power Source	Regulated wall mount adapter with outputs of ±12 VDC @ 200 mA, 5 VDC @ 250mA
Power Supplies	Fixed: ±12 VDC @ 200 mA ± 5% Variable: 0 to ±7.5 VDC @ 50 mA ±10%
Function Generator	 Frequency: Factory set to 1 kHz. Variable with use of external capacitor from 0.1 Hz to 100 kHz Sine Wave: 4 Vpk-pk in 10 kΩ load Triangle Wave: 9 Vpk-pk in 10 kΩ load Square Wave: 8 Vpk-pk in 10 kΩ load TTL: Logic "0" @ 0.3 V max TTL: Logic "1" @ 1.4 V min Rise and fall times: <1 μs Duty Cycle: 50% for all waveforms
Slide Potentiometers	(2) 1 kΩ & 10 kΩ
Slide Switches	(3) Single Pull Double Throw Type
Connectors	2 each BNC
Speaker	8 Ω, 0.25 W
Breadboards	840 tie points with (8) 25-pin power rails and accommodates up to 8 (14-pin) ICs
Weight	2 lb, 10 oz (includes adapter)
Dimensions	10 x 7.5 x 2.6" (254 x 190 x 66 mm)



Topics

The PB-500 Lab package offers comprehensive course instruction covering the following areas:

- Fundamentals of Electricity
- Ohm's Law
- Series Circuits, Parallel Circuits
- Combinational Circuits
- Current Control
- Closed, open, shorts
- Switches
- Thevenin's Theorem
- · Wheatstone Bridge
- Capacitors, Inductors
- Phase Shift Circuits
- Impedance
- Resonant Circuits
- Transformers
- Rectifiers & Filtering
- Integrated Circuits
- Transistor Amplifiers
- Oscillators
- Power Control Circuits

Optional Accessories

- WK-1: Jumper Wire Kit, 350 pieces
- WK-2: Jumper Wire Kit, 140 pieces
- WK-3: Jumper Wire Kit, 70 pieces
- WK-4: Wire Jumper Kit, 100 wires with machined tips
- GSPA Series: Prototyping adapters
- GSPA-K1: Surface mount to DIP adapter kit, 6 adapter boards
- GSPA-K2: Surface mount to DIP adapter kit, 11 adapter boards
- GSA-3185: MiniPro Test Clip Setitors, Inductors

