

Temp 14 Thermistor Thermometer

Rugged and reliable

Standard bayonet connectors – Choose from a wide variety of thermistor probes

All push-button operation – For fast, easy use

Ergonomic design – Easy to grip for one-handed operation

°C/°F selectable

Minimum and maximum temperature display – Displays highest/lowest temperature since meter was switched on, or use Min/Max Hold Mode to continuously update lowest/highest temperature

Temperature offset calibration adjustment – Push-button adjustment for fine-tuning factory calibration

Hold function – Freezes measurements for convenient reading and recording

Auto-off function – Turns off meter after 17 minutes of nonuse to save batteries

Available rubber armor – Protects meter and features a built-in stand

**PREDICTING
A CHANGE IN
TEMPERATURE**



35426-00 shown with available rubber armor



General-purpose QC research labs and biological process monitoring

Select a probe to match your application

See pages 83 and 87 for our wide selection of probes.

Specifications

Range: –40 to 302°F (–40 to 150°C)

Resolution: 0.01 or 0.1°C/°F

Accuracy:
From –40 to 125°C (–40 to 257°F): ±0.2°C (±0.4°F),
From 125 to 150°C (257 to 302°F): ±0.5°C (±0.9°F)

Display: 4-digit LCD (1/4" X 1/2" digits), 2 1/4" x 1 1/2" backlit viewing area

Probe: one 400-series thermistor (not included)

Power: three AA batteries (included) or optional AC adapter

Battery life: 700 hours continuous (without use of backlighting)

Dimensions:
Meter: 4" x 7" x 2" (10.2 x 18 x 5.2 cm) (with protective armor)

Boxed: 5 5/8" x 10 1/4" x 3" (13.5 x 26 x 7.5 cm)

Weight: Meter: 0.75 lb (0.4 kg); Boxed: 1.25 lb (0.6 kg)

Ordering Information

| Catalog number | Description | Included |
|----------------|--------------------|--|
| WD-35426-00 | Temp 14 | Meter and batteries |
| WD-35426-01 | Calibrated Temp 14 | Meter and NIST-traceable calibration report |
| WD-35426-02 | Calibrated system | Meter and NIST-traceable calibration report; probe sold separately |
| WD-35427-80 | Rubber armor | Rubber armor with built-in meter stand |
| WD-35427-85 | Hands-free kit | Multipurpose hanging strap and mounting magnets |

WD-91427-99 AC power adapter

